

NOXYDE®

MAXIMUM METAL PROTECTION MINIMUM PROJECT COSTS





NOXYDE® protects the Golden Gate bridge

Protection in highly corrosive environments

Independent research by the Coatings Research Institute has proven that NOXYDE® is the absolute TOP in corrosion protection. NOXYDE® is approved for corrosion class C5-M with a life expectancy of over 15 years, as described in the international standard ISO 12944.

Read the test report at www.noxyde.eu




NO TEARS OR CRACKS
TEST IT YOURSELF

MAXIMUM METAL PROTECTION

PROVIDES 15 YEARS OF CORROSION PROTECTION, EVEN IN SEVERE CONDITIONS

- Best corrosion protection according to ISO 12944
- NOXYDE® is 200% elastic and doesn't crack or peel when metal shrinks or expands
- Excellent coverage of nuts, bolts and welds
- Impact resistant
- Prevents filiform corrosion

NOXYDE® can be applied on: Steel, iron, copper, aluminum, Plastisol®, zinc, lead, galvanised metal and PVDF (with special primer)



Excellent edge coverage



200% ELASTIC

FREE NOXYDE® DRY SAMPLE

WWW.RUST-OLEUM.EU/SAMPLE

MINIMUM PROJECT COSTS



DRY FALL
NOXYDE® spray turns to powder before hitting the ground




DIRECT TO LIGHT RUST



EASY TO CLEAN
Simply put the spray gun in water during breaks



READY FOR USE PRODUCT
Primer and topcoat in one



SAVE TIME AND MONEY

	EPOXY/POLYURETHANE	NOXYDE®
	Separate primer & topcoat	Primer/topcoat in one
	Lots of waste in cans	Re-use leftover paint
	Typical 3 coat system	Typical 2 coat system
	Mixing + induction time	Ready for use
	Clean spray gun with solvent	Put spray gun in water

10 English red	20 Grey green	30 Beige grey	40 White	50 Black	A930 Blue
RAL 6005	RAL 6011	RAL 7032	RAL 9002	A66 Brown	BS 10A05 Goosewing grey
NEW RAL 9004	NEW RAL 9010	NEW RAL 7035	NEW RAL 7001	NEW RAL 7016	


Need a different colour than these standard colours? From 100kg we make any colour to your order.

*The colours above are stock items. Note: Minor differences between printed and supplied colours are possible due to printing limitations.

Three varieties, because every project has different requirements



3 m²/L



NOXYDE®

MAXIMUM
CORROSION PROTECTION
AND WATERPROOFING



Metal Cladding

- Approved for corrosion class C5-M high (ISO 12944)
- Excellent waterproofing for metal roofs
- Water-based coating
- Does not crack or peel
- 10 Years product guarantee*

For metal cladding, metal roofs, bridges, silos, electrical isolation and more



3 m²/L



NOXYDE® PEGARUST


APPLY AS
LOW AS 0°C



Metal roof

- Solvent-based product for lower temperatures
- Similar protection to NOXYDE®
- Apply on slightly moist surfaces
- Approved for corrosion class C5-M medium (ISO 12944)
- 7 Years product guarantee*

For metal cladding, pipe lines, bridges, metal constructions, electricity posts and more



6 m²/L



NOXYDE® PEGANOX

OPTIMISED FOR BRUSH
AND ROLLER



Apartment building

- Best flow of the 3 products, aesthetic finish
- Thinner coating gives lower price per m²
- Water-based coating
- When spray-application is not possible
- 5 Years product guarantee*

For metal cladding, pipe lines, railings, containers and more

* All guarantees are subject to approval by our Rust-Oleum technical service

MORE THAN PAINT:

RUST-OLEUM® does not just supply paints and coatings, but likes to support you in other areas. We offer free technical advice and the following services.



Free online datasheets



Free technical support
by telephone or e-mail



Free written
specification service



Free special colour service



Free on-site application/
specification advice



Free spray gun
application advice



Technical/commercial
product trainings



Guarantee service

FREE TECHNICAL ADVICE!

WWW.RUST-OLEUM.EU/ADVICE

Your Rust-Oleum® distributor:



@RustOleumEU



/RustOleumEU



/RustOleumEU

UK/IRL: ☎ +44 (0) 2476 717 329

OTHER COUNTRIES: ☎ +32 (0) 13 460 200

RUST-OLEUM®-products are manufactured by Rust-Oleum Europe under license from Rust-Oleum International, USA. RUST-OLEUM®, NOXYDE®, PEGARUST® and PEGANOX® are registered trademarks of Rust-Oleum Europe. The guidelines in this brochure are provided for information purposes only. Since the manufacturer is unable to exercise any control over the correct application and processing of the products, he cannot accept any responsibility for this. © Copyright 2014 Rust-Oleum Netherlands B.V. All rights reserved. The images shown in this catalogue may differ from the actual product.

Rust-Oleum UK Ltd.
Chester-Le-Street
DH3 9EH United Kingdom
T: +44 (0) 2476 717 329 F: +44 (0) 2476 718 930
info@rust-oleum.eu

N.V. Martin Mathys S.A.
Kolenbergstraat 23, 3545 Zelem,
Belgium
T: +32 (0) 13 460 200 F: +32 (0) 13 460 201
info@rust-oleum.eu

An **RPM** Company